

SUBJECT INDEX

A

- Abscisic acid (ABA)
ozone exposure and, 350
root water status and,
328-29
- 1-Acetoxy-2-hydroxy-4-oxo-
heneicos-12,15-diene
antifungal properties, 423
- Acremonium coenophialum*,
121-22
symbiosis, 112
- Acremonium endophytes*
symbiosis with grasses,
109-26
- Acremonium lolii*
symbiosis, 113
- Acremonium uncinatum*,
113, 121
- Africa
wheat diseases and, 507-8
- Agricultural Experiment
Station (AES), 3-12
- Agricultural science
difficulties facing, 8
- Agriculture
nematode management
and, 201-21
- Agrobacterium tumefaciens*
gene transfer and, 300
lactone autoinducers, 163
- Aiken R, 325-43
- Alar, 529
- Albugo candida*
genotype-specific
resistance and virulence
and, 37
- Alfalfa dwarf disease, 136
- Alfalfa mosaic virus (AMV)
vector transmission, 229
- Alfamoviruses
vector interactions, 239
- Alkaloids
antitherbivore, 112-14
- Alopecurus aequalis*
rice black-streaked dwarf
virus and, 250
rice gall dwarf virus and,
254
- Alternaria alternata*, 420
resorcinol and, 422-23
- Alternaria blotch*, 534
- Alternaria brassicicola*, 373
- Alternate middle spraying
pesticide application and,
538
- Amaranthus*, 91

- American Phytopathological
Society (APS), 17, 19-20
- Aminopyrrolizidines
anti-insect effects, 113
- Amphids, 183-84
ultrastructure changes,
187-88
- Anguina tritici*, 204
- Anthoxanthum odoratum*, 38
asexual
virus infection and, 40
- Anthranilic acid
appressorium formation
and, 415-16
- Anthriscus yellows
waikavirus (AYV)
aphid transmission, 238
- Antibiotics
stem rust pathogen and, 16
- Antitherbivore alkaloids,
112-14
- Aphelenchoides arachidis*,
204, 206
- Aphelenchoides besseyi*, 204
- Aphids
plant virus transmission
and, 228-29
rice yellows virus
transmission and, 255
- Apple blotch, 542
- Appressoria, 374-76
quiescence, 415-120
- Arabidopsis thaliana*
genotype-specific
resistance and virulence,
37
- Arabidopsis*
ozone exposure and, 353
resistance to pathogens
and, 494
- Arabinopyranosidase
Tellectia controversa and, 75
- Arabis holboellii*
frequency-dependent
infection, 39
- Argentine stem weevil, 113
- Arisaema triphyllum*
asexual progeny
rust infection and, 40
- Armillaria gallica*
Hardy-Weinberg
equilibrium, 467
phylogenetic analysis, 468
recombination in mtDNA,
471
- Arrabidaea verrucosa*, 579
- Artemisia douglasiana*, 135

- Ascaris lumbricoides*, 183
- Ascorbate
apoplastic
ozone exposure and, 353
- Asexual reproduction
pathogen infection and,
39-41
plant pathogenic fungi and,
457-58
- Asia
wheat diseases and, 508-9
- Aspergillus niger*
quiescent infection and, 424
- Atkinsonella hypoxylon*, 37,
38
- Aurora Sporealis*, 19
- Ausher R, 51-65
- Avenacin, 422
- Avirulence genes
bacterial, 153-71
evolution, 170-71
function, 160-69
pathogenicity and, 169-70
race specificity, 154-56
structural features, 156-60
- Avocado
resistance to quiescent
germinated appressoria,
423-24
- AVR elicitor-binding
proteins, 399-401

B

- Bacteria
avirulence genes, 153-71
evolution, 170-71
function, 160-69
pathogenicity and, 169-70
race specificity, 154-56
structural features, 156-60
See also Xylem-limited
bacteria
- Bacterial leaf streak, 505
wheat resistant, 520-21
- Bacterial wilt of tomato
quantitative resistance and,
490-91
- Bactericides
tree fruit pathogens and,
529
- Balansiaeae
Epichloë and, 118-19
- Banana nematode, 204
- Barley
composite crosses, 42
ozone exposure and, 353

596 SUBJECT INDEX

- rice black-streaked dwarf virus and, 250
 - Barley mild mosaic virus (BaMMV)
 - Polymyxa graminis* and, 96-98
 - Barley powdery mildew fungus
 - multilocus population structure, 459
 - Barley seed infected
 - germination and seedling development and, 37
 - Barley yellow dwarf (BYD), 504
 - wheat resistant, 520
 - Barley yellow dwarf virus (BYDV), 254-55
 - vector, 113
 - Basic β -1,3-glucanase
 - ozone exposure and, 350-51
 - Basidiospores, 577
 - Beech
 - ozone exposure and, 356
 - sexual reproduction by seed pathogen infection and, 40
 - Beet cyst nematode
 - phasmids, 184
 - Beet necrotic yellow vein virus (BNYVV), 307
 - Polymyxa betae* and, 96-97
 - Beet yellows virus (BYV)
 - vector transmission, 238
 - Benalaxyl, 550
 - Benomyl
 - pathogens resistant, 535-36
 - restrictions on use, 537
 - Ben-Ze'ev IS, 51-65
 - Benzimidazoles
 - sooty blotch and flyspeck and, 534
 - Benzoic acid
 - fungitoxic activity, 424
 - Bermuda grass
 - Clavibacter xyli* and, 133
 - Bermuda grass stunting disease
 - pathogen, 132
 - Bipolaris maydis*
 - race T, 41
 - Bipolaris sorokiniana*, 505
 - Birch
 - ozone exposure and, 356
 - Bitertanol
 - dwarf bunt disease and, 78
 - Bitter rot, 533
 - Bixa orellana*, 579
 - Black rot, 533
 - Bot rot, 533
 - Botryosphaeria ribis*, 420
 - Botrytis allii*
 - quiescent hyphae, 415
 - Botrytis cinerea*
 - germination
 - antagonistic fungi and, 415
 - hyphal adhesion, 369-70
 - quiescent infection and, 424
 - tomatine and, 421-22
 - Brachiaria ramosa*
 - rice necrosis mosaic virus and, 258
 - Brachyelytrum erectum*, 121
 - Brachypodium sylvaticum*, 118
 - Bradyrhizobium japonicum*
 - glucans secreted, 389
 - Bridge J, 201-21
 - Brome mosaic bromovirus
 - fungal transmission, 101-2
 - Bromoviruses, 306
 - Bromus*, 73
 - Brooks fruit spot, 533
 - Butanolides, 163
 - Bymoviruses
 - modes of transmission, 98-100
- C**
- Cacao witches' broom, 573-91
 - Caenorhabditis elegans*, 182
 - Campbell RN, 87-102
 - Candida albicans*
 - Hardy-Weinberg equilibrium, 467
 - Cane
 - Clavibacter xyli* and, 133
 - Capsella bursa-pastoris*, 38
 - Captan
 - restrictions on use, 537
 - Carboxin
 - dwarf bunt disease and, 79
 - Carlaviruses
 - vector interactions, 239
 - Carmoviruses
 - modes of transmission, 94
 - Carnation etch ring virus (CERV), 233
 - Catechin
 - ozone exposure and, 355
 - Cauliflower mosaic virus (CaMV)
 - double-stranded DNA genome, 302
 - vector transmission, 229, 234-38
 - Caulimoviruses
 - aphid transmission factor, 233-38
 - complementation systems, 311-12
 - genetic rearrangements and, 313-14
 - Cedar apple rust
 - control, 541
 - Cercospora zea-maydis*
 - quantitative resistance and, 490
 - Cereal Rust Laboratory, 16
 - Chaetocnema pulla*
 - rice yellow mottle virus transmission and, 266
 - Chemoreception
 - nematode, 181-96
 - amphidial secretions and, 185-87
 - Chenopodium necrosis virus (ChNV)
 - modes of transmission, 96
 - Cherry leafspot
 - alternate middle spraying and, 538
 - Chestnut blight fungus
 - multilocus population structure, 459
 - Chlamydospores, 577
 - Chloroplast pigments
 - ozone exposure and, 355
 - Chondrilla recondita*
 - frequency-dependent infection, 38
 - Chrysomelid beetles
 - rice yellow mottle virus transmission and, 266
 - Chytridiomycetes
 - plant virus transmission and, 88
 - CIMMYT Wheat Program, 511-13
 - Cinnamyl alcohol
 - dehydrogenase induction
 - ozone exposure and, 354-55
 - Citrus
 - resistance to wound pathogens, 424
 - Citrus blight
 - Xylella fastidiosa* and, 133
 - Citrus tristeza virus
 - vector transmission, 238
 - Cladosporium fulvum*, 162, 399
 - avr9* gene expression, 315
 - hyphae, 368
 - Clavibacter xyli*, 132
 - detection, 136-37
 - transmission, 142
 - Claviceps purpurea*
 - ergot alkaloid synthesis, 115

Clavicipitaceae
Epichloa and, 118-19
 Clay K, 29-45
 Closteroviruses
 vector transmission, 238
 Clove
 Pseudomonas syzygii and,
 133
 Sumatra disease, 132
Coccidioides immitis
 multilocus population
 structure, 459
 phylogenetic analysis,
 467-68
Cochliobolus
 appressoria, 374, 379
Cochliobolus carbonum
 mating type ratio, 466
 population structure, 462
 Cohen Y, 549-58
Colletotrichum
 appressoria, 374-76
 germ tubes, 368
Colletotrichum
 gloeosporioides
 appressoria, 375
 differentiation
 plant waxes and, 416
 spore germination
 ethylene and, 419-20
Colletotrichum graminicola
 cutinase, 370
Colletotrichum lagenarium
 penetration hyphae, 377
Colletotrichum
 lindemuthianum
 infection structures, 370
 penetration hypha
 development, 376-77
Colletotrichum musae
 subcuticular hyphae,
 416-17
Colletotrichum piperatum
 quiescent spores, 414-15
 Competition
 sexual reproduction and, 32
 Conifers
 ozone exposure and,
 353-56
Conocephalus merumontanus
 rice yellow mottle virus
 transmission and, 266
 Cowpea mosaic virus
 (CPMV)
 epitope presentation,
 310-11
Crinipellis perniciosa,
 576-79
 epidemiology, 583-87
 host resistance, 580-82
 pathogenic variations,
 578-79

Crop cultivars
 nematode-resistant, 211-12
 Crop husbandry
 nematode management
 and, 218-19
 Crop rotation
 nematode management
 and, 209-11
Cryphonectria parasitica
 mating type ratio, 466
 mixed mating system,
 461-62
 multilocus population
 structure, 459
 Cryptogin, 399
 Cucumoviruses
 vector interactions, 239
 Cucumber leaf spot virus
 (CLSV)
 modes of transmission, 95
 Cucumber mosaic virus
 (CMV)
 vector transmission, 228,
 229
 Cutinase, 370, 371-73, 426
 Cymbidium ringspot virus
 (CyRSV), 312
 Cytokinin
 ozone exposure and, 350
 shoot utilization of
 nitrogen and, 330-31

D

Dactylis glomerata, 117
 Daminozide, 529
Danthonia epilis, 37
Danthonia spicata, 38
 Deciduous trees
 ozone exposure and, 356
 Deising H, 367-81
 1-Deoxycapsidion
 induction of quiescence in
 fruit and, 425
 Depletion theory
 plant growth and, 341-42
 Developing countries
 plant clinics and, 51-65
 Dianthoviruses
 modes of transmission, 96
Diaporthe perniciosa
 quiescent infection and, 424
 Dicarboximide fungicides
 pathogens resistant, 536
 Difenoconazole
 dwarf bunt disease and,
 78-79
 2,3-Dihydroxybenzoic acid
 chelating properties,
 415-16
Dinebra retroflexa

rice yellow mottle virus
 and, 266
Diplodia natalensis
 quiescent hyphae, 415
 quiescent mycelia
 ethylene and, 421
 Disease
 genetic basis, 32-36
 Disease resistance
 gene-for-gene model, 31
 quantitative trait locus
 mapping and, 479-98
Diylenchus africanus, 204
Diylenchus angustus, 215
Diylenchus dipsaci, 27, 204
 DMI fungicides
 pathogens resistant, 536
 DNA-DNA hybridization
 Xylella fastidiosa and, 137
 DNA markers
 quantitative trait locus
 mapping and, 480,
 482-84, 496
 DNA plant viruses
 double-stranded, 304-5
 replication, 239
 Doline
 pathogens resistant, 535
 Dopamine
 antifungal activity, 421
Dothiorella dominicana
 quiescent hyphae, 415
 Dubin HJ, 503-22
 Dwarf bunt disease, 67-82
 control, 78-79
 host-parasite interactions,
 79-80
 pathogen identification,
 73-77

E

Echinochloa cruz-galli, 135
 Ecologic fitness
 plant growth and, 341-42
 Electron microscopy
 Telletia controversa and, 74
 Xylella fastidiosa and, 136
Eleusine indica
 rice yellow mottle virus
 and, 266
 Elicitin-binding proteins,
 398-401
 Elicitins, 397
Enchynochloa hoja blanca
 virus, 256-57
 Endesmadenol
 induction of quiescence in
 fruit and, 425
 Environmental Protection
 Agency (EPA), 537

598 SUBJECT INDEX

- Enzyme-linked immunosorbent assay (ELISA)
Xylella fastidiosa and, 136
 Epicatechin
 lipoxxygenase activity and, 423-24
Epichloë
 interspecific hybrids, 121-22
 relationship with fungi, 118-19
 speciation, 120-21
Epichloë endophytes
 alternative life cycles, 110-12
 host compatibility, 115-18
Epichloë festucae, 124
Epichloë-grass symbiosis, 109-26
Epichloë typhina
 inheritance of genes, 118
 interactions with perennial ryegrass, 117
 Epistatic selection, 463
Eragrostis tenuifolia
 rice yellow mottle virus and, 266
 Ergopeptides, 113
Erigeron glaucus
 selfed progeny
 thrip infection and, 40
Erwinia amylovora, 532
 hrp genes, 166
Erwinia carotovora
 lactone autoinducers, 163
Erwinia chrysanthemi
 hrp genes, 166
Erwinia stewartii, 132
Erysiphe fischeri
 genotype-specific resistance and virulence and, 37
Erysiphe graminis f. sp. *hordei*
 cutinase, 370
 gametic disequilibrium, 464-65, 472-73
 genotypic diversity, 466
 multilocus population structure, 459
 sexual fruiting bodies, 466
 Esser RP, 25-28
 Etoconazole
 dwarf bunt disease and, 78
 Ethylene
 appressorium formation and, 419
 biosynthesis
 ozone tolerance and, 350
 quiescent mycelia and, 421
 Ethylene bisdithiocarbamate (EBDC) fungicides, 537-38
Eupatorium chinense
 asexual
 virus infection and, 40
F
Fagus grandifolia
 sexual reproduction by seed
 pathogen infection and, 40
Fagus sylvatica
 ozone exposure and, 356
 Falcarindiol
 induction of quiescence in fruit and, 425
 Falcarinol
 induction of quiescence in fruit and, 425
 Fallows
 nematode management and, 212-13
Festuca, 73
Festuca arizonica
 symbiote, 114
Festuca arundinacea var. *genuina*
 symbiote, 112-13
Festuca rubra
 endophytes, 116
 pleiotropic symbiosis, 111
 Figwort mosaic virus (FMV), 233
 Fire blight
 control, 541
 forecasting systems, 532
 Flame chlorosis (FC)
 fungal transmission, 101
 Flax rust, 14, 15
 Flooding
 nematode management and, 215-16
 Fluorescent antibody labeling
Xylella fastidiosa and, 136
 Flyspeck, 533
 benzimidazole fungicides and, 534
 Foot-and-mouth disease virus, 317
 Free fatty acids
Telletia controversa
 teliospores and, 80
 Freesia leaf necrosis agent (FLNA), 100-1
 Fruit tree disease
 biological control, 540
 cultural practices and, 540-41
 forecasting models, 530-35
 fungicide resistance and, 535-37
 fungicide restrictions and, 537-38
 horticultural practices and, 541-43
 management, 527-43
 pesticide application techniques and, 538-40
 Fungal populations
 detection of recombination, 470-71
 frequency of recombination, 471-73
 multilocus structure, 457-74
 random mating and, 462-70
 Fungi
 alkaloid expression in symbiote and, 114
 appressoria, 374-76
 colonization
 quiescence and, 420-28
 hyphae
 adhesion, 369-70
 apical growth, 368-69
 parasitic
 plant penetration and, 367-81
 pathogenicity factors
 induction, 426-28
 transmission of plant viruses and, 87-102
 Fungicides
 dwarf bunt disease and, 78
 resistance, 535-36
 restrictions on use, 537-38
 sooty blotch and flyspeck and, 534
 stem rust pathogen and, 16
 tree fruit pathogens and, 529
 witches' broom disease and, 588-89
 Furoviruses
 modes of transmission, 98-100
Fusarium nivale leaf blotch, 504
Fusarium oxysporum
 hyphae accumulation, 368
Fusarium oxysporum f. sp. *vasinfectum*
 penetration hyphae, 370-71
Fusarium scab, 504
 wheat resistant, 520
Fusarium solani f. sp. *pisi*
 cutinase, 371-73
G
Gaeumannomyces graminis var. *avenae*, 422
 Gametic disequilibrium

- fungal populations and, 463-65
- Geminiviruses, 305
- genetic rearrangements and, 313-14
- Gene expression
- transient
 - virus-based systems and, 301-2
- Gene-for-gene (GFG) model
- plant disease and, 32-36
 - resistance and virulence and, 31
- Gene postulation
- leaf rust resistance genes and, 444-45
- General Agreement on Trade and Tariffs (GATT), 542
- Genetic diversity
- host/pathogen interactions and, 29-30
- Genetic engineering
- xylem-limited bacteria and, 139
- Genetic markers
- phenotypes and, 463-64
- Genotype diversity
- sexual reproduction and, 459
- Gisi Y, 549-58
- Globodera*
- amphidial secretions, 185-87
 - sex pheromones and, 189-90
- Globodera pallida*
- sex pheromones and, 191-94
- Globodera rostochiensis*, 182
- amphids, 184
 - sex pheromones and, 191-94
- Gloeosporium perennans*
- quiescent infection and, 424
- Glomerella cingulata*, 425
- Glucans, 389-92
- hyphal, 368
- Glucoronidase
- Telletia controversa* and, 75
- Glycine argyrea*
- genotype-specific resistance and virulence, 37
- Glycine canescens*
- genotype-specific resistance and virulence, 37
 - resistance genes, 35
- Glycopeptide/protein
- elicitor-binding proteins, 394-96
- Grafting
- nematode management and, 216
- Grape
- Xylella fastidiosa* and, 133
- Grapevine fanleaf virus
- vector, 88
- Grapevines
- leaf scorch and, 134-35
- Grasses
- fungal symbionts, 109-26
- Gray leaf spot fungus of
- maize
 - quantitative resistance and, 490

H

- Hahn M, 367-81
- Hahn MG, 387-404
- Hardy-Weinberg equilibrium
- plant pathogenic fungi and, 467
- Hart H, 13-23
- Hazard Analysis Critical Control Point (HACCP), 538
- Helicotylenchus*, 27
- Hemicyclophora paradoxa*, 188
- Hepta- β -glucoside
- elicitor-binding proteins, 389-92
- Heracleum virus 6
- vector transmission, 238
- Herbaceous plants
- ozone exposure and, 353
- Heterobasidion annosum*
- root attack
 - ozone and, 356-57
- Heterodera*
- amphidial secretions, 185-87
 - sex pheromones and, 189-90
- Heterodera glycines*
- amphids, 184
 - quantitative resistance and, 491-92
- Heterodera rostochiensis*, 27
- Heterodera schachtii*, 27
- phasmids, 184
- Heterorhabditis bacteriophora*, 114
- Hexachlorobenzene
- dwarf bunt disease and, 78
- Hibino H, 249-69
- High Rainfall Wheat
- Screening Nursery (HRWSN), 518
- High Rainfall Wheat Yield Trial (HRWYT), 518

- High Temperature Wheat Yield Trial (HTWYT), 518
- Hirschmanniella oryzae*, 214
- Hirschmanniella miticausa*, 205
- "Hitchhiking", 460
- Hopkins DL, 131-45
- Hordeum vulgare*
- composite crosses, 42
- Hull R, 275-95
- Human immunodeficiency virus (HIV), 317
- Human rhinovirus 14 (HRV-14), 317
- Hyphae
- adhesion, 369-70
 - apical growth, 368-69
 - development
 - quiescence and, 415
 - penetration
 - quiescence and, 420-28

I

- Immunoblotting
- Xylella fastidiosa* and, 137
- Immunogold labeling
- Xylella fastidiosa* and, 136
- Indole diterpenes, 113
- Insects
- biological control agent, 27
- Integrated Pest Management (IPM), 529, 540
- International Stem Rust Nursery, 16
- International Witches' Broom Project (IWBP), 583
- Iprodione
- restrictions on use, 537

J

- Jack-in-the-pulpit
- asexual progeny
 - rust infection and, 40
- Jackson AO, 299-319
- Jasmonic acid, 163
- Jeffrey pine
- ozone exposure and, 355

K

- Kolmer JA, 435-51
- Kover PX, 29-45

L

- Lagena radiculicola*, 88
- Laodelphax striatellus*

600 SUBJECT INDEX

- rice black-streaked dwarf virus transmission and, 250-51
 - rice stripe virus transmission and, 260-61
 - Late-blight fungus multilocus population structure, 459
 - Late-blight fungus of potato quantitative resistance and, 489-90
 - Leach JE, 153-71
 - Leafhoppers plant virus transmission and, 238
 - Leaf rust, 504 genetic resistance, 435-51 resistance, 519
 - Leaf rust resistance genes, 436-38 expression, 438-44
 - Lectins nematode chemoreception and, 185
 - Leersia orizoides* rice giallume virus and, 255
 - Lettuce big vein disease transmission, 88
 - Lettuce big vein virus (LBVV), 88
 - Olpidium brassicae* and, 96-98 transmission, 100-1
 - Lettuce ring necrosis agent (LRNA), 97
 - Light wheat-stem rust host-pathogen system and, 16
 - Light microscopy *Telletia controversa* and, 75
 - Ligniera*, 88
 - Linoleic acid *Telletia controversa* teliospores and, 80
 - Linum marginale* genotype-specific resistance and virulence, 37, 41
 - Lipids *Telletia controversa* teliospores and, 80-81
 - Lipoxygenase epicatechin and, 423-24
 - Lisianthus necrosis virus (LNV) modes of transmission, 96
 - Lissonotus bonariensis*, 113
 - Livestock agriculture forage grass endophytes and, 112-14
 - Livestock toxicosis, 115
 - Lolines, 113-14 anti-insect effects, 113
 - Lolitre B, 113
 - Lolium perenne*, 113
 - Long-horned grasshopper rice yellow mottle virus transmission and, 266
 - Longidorus leptocephalus* pharyngeal nerve system, 184
 - Ludwigia perennis* rice necrosis mosaic virus and, 258
- ## M
- Magnaporthe* appressoria, 374-76
 - Magnaporthe grisea* germ tubes, 368 penetration hypha development, 376-77
 - Maize *Clavibacter xyli* and, 133 gray leaf spot fungus quantitative resistance and, 490 morphological and agronomic traits quantitative trait locus mapping and, 486-87 rice black-streaked dwarf virus and, 250 rice tungro bacilliform virus promoter and, 284
 - Maize chlorotic dwarf waikavirus (MCDV) vector transmission, 238
 - Maize dwarf mosaic potyvirus fungal transmission, 102
 - Maize streak virus (MSV), 305, 308
 - Maize white line mosaic virus (MWLMV) modes of transmission, 95
 - Mango antifungal compounds, 422-23
 - Marine nematodes, 26, 27
 - Mathre DE, 67-82
 - Megaenvironments wheat breeding and, 511-13
 - Melampsora lini* genotype-specific resistance and virulence and, 37, 41
 - Melanin hyphal, 368
 - Meloidogyne* amphidial secretions, 185-86
 - Meloidogyne incognita* amphids, 184
 - Meloidogyne javanica*, 219
 - Meloidogyne marylandi* endophyte conferring resistance, 114
 - Mendgen K, 367-81
 - Mermithids, 26, 27
 - Metalaxyl, 550 pathogen resistance, 564-66
 - Mexico wheat breeding sites, 515-16
 - Microbial elicitors receptors in plants, 387-404
 - Milgroom MG, 457-74
 - Miti-miti disease, 205
 - Monilinia fructicola*, 417-18
 - Monilinia laxa*, 418
 - Monoterpenes ozone exposure and, 355
 - Mucor circinelloides* plant virus transmission and, 102
 - Multiple cropping nematode management and, 219-20
 - Mutation gametic disequilibrium and, 469
 - Mutualism *Epichloë*-grass symbiosis and, 124-25
 - Mycelial fungi plant virus transmission and, 101-2
 - Mycosphaerella graminicola*, 470 sexual reproduction, 464
- ## N
- National Agricultural Research Systems (NARS) wheat breeding and, 523-24
 - Necator americanus* amphids, 187
 - Necrotic leaf blotch, 533
 - Necroviruses modes of transmission, 96
 - Nectria galligena*, 424
 - Nectria haematococca*, 422
 - Nematodes behavioral analyses, 188-90 chemoreception, 181-96

- amphidial secretions and, 185-87
- electrophysiological analyses, 190-95
- endophyte conferring resistance, 114
- grapevine fanleaf virus transmission and, 88
- management in agriculture, 201-21
- marine, 26, 27
- sensilla, 183-84
- sex pheromones and, 189-90
- Nephotettix cincticeps*
 - rice bunchy stunt virus transmission and, 251
 - rice dwarf virus transmission and, 252-53
 - rice gall dwarf virus transmission and, 254
 - rice transitory yellowing virus transmission and, 262
 - rice tungro virus transmission and, 263
- Nephotettix nigropictus*
 - rice dwarf virus transmission and, 252
 - rice gall dwarf virus transmission and, 254
 - rice transitory yellowing virus transmission and, 262
 - rice tungro virus transmission and, 263
- Nephotettix virescens*
 - rice bunchy stunt virus transmission and, 251
 - rice transitory yellowing virus transmission and, 262
 - rice tungro virus transmission and, 263-65, 275
- Nicotiana glauca*
 - ozone-induced gene expression, 351
 - rice tungro bacilliform virus promoter and, 284
- Nicotiana glauca*
 - hypersensitive necrosis, 398
 - rice tungro bacilliform virus promoter and, 284
- Nilaparvata lugens*
 - rice grassy stunt virus transmission and, 255-56
 - rice ragged stunt virus transmission and, 259
- Nippostrongylus brasiliensis*
 - sex pheromones and, 189
- Nitrogen
 - shoot utilization
 - cytokinin and, 330-31
- Nonvectored soil transmission (NVST), 88, 94-96
- North America
 - wheat diseases and, 509
- North American Free Trade Agreement (NAFTA), 542
- Norway spruce
 - ozone exposure and, 354-55
- O**
 - Oak
 - leaf scald disease, 143
 - Oat chlorotic stunt virus (OCSV)
 - modes of transmission, 95
 - Ofurace, 550
 - Oligochitin elicitor-binding proteins, 392-94
 - Oligosaccharide elicitor-binding proteins, 388-94
 - Olpidium bornovanus*
 - plant virus transmission and, 88-90
 - Olpidium brassicae*
 - big vein disease of lettuce and, 88
 - lettuce big vein virus transmission and, 96-98
 - plant virus transmission and, 88-90
 - Open reading frames (ORFs)
 - rice tungro bacilliform virus and, 278, 280-83
 - Orychophragmus violaceus*
 - rice tungro bacilliform virus promoter and, 284
 - Oryza longistaminata*
 - rice yellow mottle virus and, 266
 - Oryza sativa*
 - rice tungro bacilliform virus promoter and, 284
 - viruses affecting, 249-69
 - Oxadixyl, 550
 - Ozone
 - biotic disease and, 356-57
 - cellular effects, 349
 - as elicitor and cross-inducer, 360-61
 - plant health and, 347-61
- replication, 239
- Parasites
 - frequency-dependent selection and, 30
- Parasitism
 - sexual reproduction and, 32
- Parsley
 - ozone exposure and, 352-53
- Parsnip yellow fleck sequivirus
 - aphid transmission, 238
- Pasteuria penetrans*, 218
- Pathogen infection
 - selective impact, 37-39
- Pathogen/plant interactions
 - See Plant/pathogen interactions
- Pathogen quiescence
 - postharvest disease and, 413-29
- Paxilline, 115
- PCNB
 - dwarf bunt disease and, 78
- Peach
 - phony disease, 142
 - Xylella fastidiosa* and, 133
- Pea early browning virus (PEBV)
 - vector transmission, 238-39
- Pectin, 374
- Penicillium cyclopium*, 420
- Penicillium digitatum*, 417
- Penicillium expansum*
 - quiescent infection and, 424
- Penicillium paxilli*, 115
- Pepper yellow vein agent (PYVA), 97
- Peramine
 - anti-insect effects, 113
- Perenospora parasitica*
 - genotype-specific resistance and virulence and, 37
- Perry RN, 181-96
- Pestalotia psidii*
 - growth inhibition, 417
- Pesticides
 - application techniques, 538-40
 - restrictions on use, 537-38
- Phakopsora pachyrhizi*, 35
 - genotype-specific resistance and virulence and, 37
- Phasmids, 184
- Phellinus noxius*
 - microhyphae, 371
- Phenotype
 - genetic markers and, 463-64

602 SUBJECT INDEX

- Phenylalanine
 ammonia-lyase (PAL)
 ozone exposure and, 350
 Phenylamide fungicides
 (PAFs)
 pathogen resistance,
 549-58
 antiresistance strategies
 and, 553-54
 distribution, 555-57
 inheritance, 561-62
 origin and development,
 551
 race structure and, 562-65
 sensitivity monitoring
 and, 554-55
Phomopsis subordinaire, 37
Phopalosiphium padi
 rice giallume virus
 transmission and, 255
 Photosynthesis
 ozone exposure and, 355
 Phytoalexins
 accumulation in soybean,
 389
 elicitation, 424-26
 Phytoanticipins
 disease resistance and, 421
 Phytohormones
 ozone exposure and, 350
Phytophthora cactorum
 quiescent infection and, 424
Phytophthora cryptogea
 elicitor, 399
Phytophthora infestans
 A2 mating type, 558-60
 characteristics, 560-61
 apical vesicles, 369
 genotypic diversity, 471
 Hardy-Weinberg
 equilibrium, 467
 metalaxyl-resistant, 564-66
 multilocus population
 structure, 459
 pathotypes
 fingerprint lineages and,
 464
 phenylamide resistance,
 549-58
 population structure, 462
 quantitative resistance and,
 489-90
Phytophthora sojae, 389
 peptide elicitor-binding
 proteins, 397-98
 Phytosanitation
 witches' broom disease
 and, 587-88
Picea abies
 ozone exposure and, 354
 Pierce's disease, 134-35,
 138, 142-43
Pinus jeffreyi Balf
 ozone exposure and, 355
Pinus ponderosa
 ozone exposure and, 354
Plantago lanceolata, 37
 Plant clinics
 activity and performance
 factors limiting, 61-63
 equipment inventory, 57
 external scientific support,
 57-58
 ideal, 63-65
 plant disease diagnosis and
 education in developing
 countries and, 51-65
 staff, 55-57
 Plant disease
 genetic basis, 32-36
 xylem-inhabiting bacteria
 and, 132-33
 Plant disease diagnosis
 plant clinics in developing
 countries and, 51-65
 users and demand, 58-60
 utilization of findings,
 60-61
 Plant growth
 depletion theory and,
 341-42
 optimal, 341
 phasic, 340
 root system regulation,
 325-43
 Plant/pathogen interactions,
 29-45
 Red Queen hypothesis and,
 42-44
 virulence and resistance
 gene-for-gene model, 31
 Plant pathology, 1-12
 future directions, 9-12
 Plants
 disease resistance
 quantitative trait locus
 mapping and, 479-98
 fungal penetration, 367-81
 glycopeptide/protein
 elicitor-binding proteins,
 394-96
 health
 ozone and, 347-61
 herbaceous
 ozone exposure and, 353
 infection
 selective impact, 37-39
 microbial elicitors and,
 387-404
 oligosaccharide
 elicitor-binding proteins,
 388-94
 pathogen attack
 quiescent stage and,
 415-17
 (poly)peptide
 elicitor-binding proteins,
 396-401
 Plant viruses
 DNA
 double-stranded, 304-5
 fungal transmission,
 87-102
 RNA, 306
 quasispecies structure, 239
 vector transmission
 helper-dependent, 227-42
 Plant virus gene insertion
 vectors, 308-9
 Plant virus gene replacement
 vectors, 304-7
 Plant virus gene vectors,
 299-319
 applications, 313-17
 complementation systems,
 311-12
 development, 302-4
 epitope presentation,
 309-11
 stability paradox, 317-18
 virus-dependent expression
 cassettes, 312-13
 Plasmidiophoromycetes
 plant virus transmission
 and, 88
 Pleiotropic symbiosis, 110,
 124
Poa
 endophytes inhabiting, 116
 Politics
 dwarf bunt disease and,
 68-73
 Polyamine
 biosynthesis
 ozone tolerance and, 350
 Polymerase chain reaction
 (PCR)
 Xylella fastidiosa and, 137
Polymyxa betae
 plant virus transmission
 and, 88-91, 96-97
Polymyxa graminis
 plant virus transmission
 and, 88-91, 96-98
 rice necrosis mosaic virus
 transmission and, 258
 rice stripe necrosis virus
 transmission and, 260
 soil-borne wheat mosaic
 virus transmission and,
 96-97
 (Poly)peptide
 elicitor-binding proteins,
 396-401
Ponderosa pine

ozone exposure and, 354
Popillia japonica, 114
 Poplar
 ozone exposure and, 356
 Population dynamics
 host resistance/pathogen
 virulence and, 41–42
Portulaca, 91
 Postharvest disease
 pathogen quiescence,
 413–29
Potamopyrgus antipodarum
 trematode parasitism, 42
 Potato
 insect resistance
 trichome-mediated,
 493–94
 late blight fungus
 quantitative resistance
 and, 489–90
 late blight resistance, 568
 ozone exposure and, 353
 Potato aucuba mosaic
 potexvirus (PAMV)
 vector transmission, 228–29
 Potato cyst nematode, 182
 Potato mop-top virus
 (PMTVO)
 transmission, 98
 Potato virus C (PVC)
 vector transmission, 228–29
 Potato virus X (PVX)
 vector transmission, 233
 Potato virus X (PVX) gene
 vector, 315, 16
 Potato virus Y (PVY)
 helper components, 230
 vector transmission, 228
 Potexviruses, 308–9
 Potting soil
 nematode management
 and, 208–9
 Potyviruses, 309
 helper component, 230–34
 Powdery mildew, 504
 alternate middle spraying
 and, 538
Pratylenchus
 amphids, 184
Pratylenchus brachyurus,
 217
Pratylenchus coffeae, 205
Pratylenchus goodeyi, 203–4
Pratylenchus scribneri
 endophyte conferring
 resistance, 114
Pratylenchus sefaensis, 219
 Prusky D, 413–29
Pseudomonas aeruginosa
 lactone autoinducers, 163
Pseudomonas solanacearum
 avirulence genes, 159

hrp genes, 166
 resistance in transgenic
 tobacco, 139
 quantitative resistance and,
 490–91
Pseudomonas syzygii, 132
Pseudomonas syringae pv.
 glycinea
 avirulence genes, 158
 hrp genes, 166
Pseudomonas syringae pv.
 phaseolicola
 avirulence genes, 159
Pseudomonas syringae pv.
 pisi
 avirulence genes, 159
Pseudomonas syringae pv.
 syringae
 hrp genes, 166
Pseudomonas syringae pv.
 tomato
 avirulence genes, 158
 hrp genes, 166
Pseudomonas syzygii
 vector transmission, 139–42
Puccinia chondrilla
 frequency-dependent
 infection, 38–39
Puccinia graminis
 genetic diversity, 461
 glycoprotein
 elicitor-binding proteins,
 395
Puccinia graminis tritici
 plant virus transmission
 and, 101
Puccinia monoica
 frequency-dependent
 infection, 39
Puccinia recondita
 wheat leaf rust and, 435
Puccinia recondita tritici
 plant virus transmission
 and, 101
Puccinia sorghi
 hyphal adhesion, 369
 plant virus transmission
 and, 102
Puccinia striiformis, 504
Puccinia thlaspeos
 frequency-dependent
 infection, 39
 Purcell AH, 131–45
 Purdy LH, 573–91
 Putrescine
 induction
 ozone exposure and, 354
Pyrenophora teres
 random mating, 466–67
Pyricularia oryzae
 quantitative resistance and,
 487–89

Q

Quantitative resistance loci
 (QRLs), 480, 481–82
 partial
 race-specificity, 494–95
 qualitative loci and, 495
 Quantitative trait locus
 (QTL) mapping
 bacterial wilt of tomato
 and, 490–91
 conceptual basis, 482–84
 disease resistance in plants
 and, 479–98
 epistatic interactions and,
 492–93
 fruit characters in tomato
 and, 484–86
 gray leaf spot fungus of
 maize and, 490
 late blight fungus of potato
 and, 489–90
 morphological and
 agronomic traits of maize
 and, 486–87
 rice blast fungus and,
 487–89
 soybean cyst nematode
 and, 491–92

R

Radopholus similis, 203–4
 Rajaram S, 503–22
 Randomly amplified
 polymorphic DNA
 (RAPD) technique
 Xylella fastidiosa and,
 138
 Ratoon stunting disease, 132,
 136
Recilia dorsalis
 rice dwarf virus
 transmission and, 252
 rice gall dwarf virus
 transmission and, 254
 rice tungro virus
 transmission and, 263
 Recombinant DNA
 technology, 3
 Recombination
 multilocus fungal
 population structure and,
 457–74
 Red Queen hypothesis
 (RHQ), 29–45
 plant/pathogen interactions
 and, 42–44
 Red Queen hypothesis (RQH)
 empirical data, 32–42
 Red ring nematode, 216
 Resistance

604 SUBJECT INDEX

- genetic variation and,
 - 36-37
 - mechanisms, 35
 - population dynamics and, 41-42
 - Resorcinol
 - fungitoxicity, 422-23
 - Restriction endonuclease
 - fingerprinting
 - Xylella fastidiosa* and, 138
 - Restriction fragment length
 - polymorphism (RFLP)
 - Xylella fastidiosa* and, 138
 - Rhadinaphelenchus*
 - cocophilus*, 216
 - Rhizobium leguminosarum*
 - lipochitooligosaccharide
 - modulation factor, 393-94
 - Rhizoctonia solani*
 - hyphae accumulation, 368
 - Rhizoctonia zeae*, 114
 - Rhizophydium graminis*, 88
 - Rhopalsiphum padi*
 - barley yellow dwarf virus
 - and, 113
 - Rhynchosporium secalis*
 - scald disease and, 42
 - Rice black-streaked dwarf
 - virus (RBSDV), 250-51
 - Rice blast
 - durable resistance and, 495
 - Rice blast fungus
 - quantitative resistance and, 487-89
 - Rice bunchy stunt virus
 - (RBSV), 251-52
 - Rice dwarf virus (RDV),
 - 250, 252-53
 - Rice gall dwarf virus
 - (RGDV), 254
 - Rice giallume virus (RGV),
 - 254-55
 - Rice grassy stunt virus
 - (RGSV), 255-56
 - Rice hoja blanca virus
 - (RHBV), 256-57
 - Rice necrosis mosaic virus
 - (RNMV), 257-58
 - Rice ragged stunt virus
 - (RRSV), 258-59
 - Rice root nematode, 214
 - Rice stripe necrosis virus
 - (RSNV), 260
 - Rice stripe virus (RSV), 250,
 - 260-61
 - Rice transitory yellowing
 - virus (RTYV), 261-62
 - Rice tungro bacilliform virus
 - (RTBV), 263-65, 275, 276-89, 305
 - expression, 286
 - genome, 278-83
 - particle structure, 276
 - replication, 286-88
 - transcription, 283-86
 - variation, 288-89
 - Rice tungro disease complex,
 - 277
 - Rice tungro spherical virus
 - (RTSV), 263-65, 275, 289-94
 - genome, 290-93
 - variation, 293-94
 - vector transmission, 238
 - Rice tungro virus disease,
 - 275-95
 - Rice viruses
 - biology and epidemiology, 249-69
 - Rice yellow mottle virus
 - (RYMV), 265-66
 - RNA plant viruses, 306
 - quasispecies structure, 239
 - Root hormones
 - plant growth regulation
 - and, 327
 - Root-knot nematodes
 - amphids, 184
 - management by flooding, 215-16
 - Root lesion nematodes
 - amphids, 184
 - Root signals
 - plant growth and, 334-35
 - Root sorptive function,
 - 333-34
 - Root systems
 - water deficits and, 335-40
 - Rotylenchulus reniformis*,
 - 216, 219
 - Rubisco, 331
 - Ryegrass stagger, 113
- ## S
- Sandermann H Jr, 347-61
 - Saponin, 421
 - Saprolegnia ferax*
 - hyphae, 369
 - Scald disease, 42
 - Schardl CL, 109-26
 - Schmidt RA, 573-91
 - Scholthof HB, 299-319
 - Scholthof K-BG, 299-319
 - Sclerotinia fructigena*
 - quiescent infection and, 424
 - Sclerotinia sclerotiorum*
 - recombination in mtDNA, 471
 - Sclerotium rolfsii*, 505
 - Scots pine
 - ozone exposure and, 354-55
 - Scutellonema bradyi*, 205
 - Scutellonema cavenessi*, 212
 - Seaside daisy
 - selfed progeny
 - thrip infection and, 40
 - Seedbeds
 - nematode management
 - and, 206-9
 - Selection
 - frequency-dependent, 38-39
 - sexual reproduction and, 30
 - Senecio vulgaris*
 - genotype-specific
 - resistance and virulence, 37
 - Septoria nodorum*, 38
 - Septoria nodorum* blotch,
 - 504-5
 - Septoria tritici* blotch, 504
 - wheat resistant, 519
 - Sesselia pusilla*
 - rice yellow mottle virus
 - transmission and, 266
 - Sex pheromones
 - nematodes and, 189-90
 - Sexual reproduction
 - cost, 32
 - frequency-dependent
 - selection and, 30
 - genotype diversity and, 459
 - host/pathogen interactions
 - and, 29-30
 - pathogen infection and, 39-41
 - Sheep
 - ryegrass stagger, 113
 - Smucker A, 325-43
 - Smut fungus
 - cuticle penetration, 371
 - Sogatodes cubanus*
 - rice hoja blanca virus
 - transmission and, 257
 - Sogatodes orizicola*
 - rice hoja blanca virus
 - transmission and, 257
 - Soil amendments
 - nematode management
 - and, 216-18
 - Soil-borne wheat mosaic
 - virus (SBWMV), 87
 - Polymyxa graminis* and,
 - 96-97
 - Solanum demissum*
 - late blight resistance in
 - potato and, 568
 - Sooty blotch, 533
 - benzimidazole fungicides
 - and, 534
 - dormant pruning and, 541
 - South America
 - wheat diseases and, 509-11

Soybean
cell wall autofluorescence
ozone inducing, 353
phytoalexin accumulation,
389
Soybean cyst nematode
amphids, 184
quantitative resistance and,
491-92
Sphenoclea zeylanica
nematicidal exudates,
213-14
Spitzenhorper, 369
Spongopora subterranea
plant virus transmission
and, 88
Spongopora subterranea
nasturtii
host specificity, 90, 96
Spore germination
quiescence and, 415
Spores
germination
quiescence and, 415
quiescence
factors affecting, 417-18
Spot blotch, 505
wheat resistant, 521-22
Spring wheat
leaf rust resistance genes,
445-46
Spruce
ozone exposure and,
355-56
Steiner G, 25-28
Steinernema, 27
Stem rust
toxic substances and, 16
Stem Rust Nursery, 16
Stilbenes
ozone exposure and, 355
Streptomycin
pathogens resistant, 536-37
Subsistence agriculture
nematode management
and, 201-21
Sugar cane
ratoon stunting disease, 136
Sumatra disease of cloves,
132
Sutton TB, 527-43
Symbiosis
Epichloe-grass, 109-26
pleiotropic, 110, 124
Syngamus trachea
amphidial secretions, 187
Syngamus trachea, 191
Syringolides, 163

T

Tall fescue

endophyte benefits, 114
Tall fescue toxicosis, 113
Tan spot, 505
wheat resistant, 520-21
Taraxacum
growth responses
macronutrient uptake and,
330
Taro corms
miti-miti disease, 205
Telletia caries
teliospore germination, 73
Telletia controversa
control, 78-79
host-parasite interactions,
79-80
identification, 73-77
biochemical, 76
microscopic, 73-75
serological, 75-76
interspecific hybrids, 77
isolation and culture, 81-82
speciation, 76-77
teliospore germination,
80-81
Telletia foetida, 77
Telletia fusca
interspecific hybrids, 77
spores, 73
Temperature
leaf rust resistance genes
and, 441-42
wheat-stem rust
host-pathogen system
and, 16
Theobroma cacao, 573-91
origin and spread, 574-75
pathogen, 576-79
taxonomy, botany, and
agronomy, 575-76
Thiabendazole (TBZ)
dwarf bunt disease and,
78-79
Thrip infection
selfed progeny and, 40
Tilletia caries, 67
Tilletia controversa, 67-82
Tobacco
differential ozone
sensitivity, 350-52
hypersensitive necrosis,
398
transgenic
disease resistance, 139
Tobacco etch virus (TEV),
231
as gene insertion vector,
309
Tobacco mosaic virus
(TMV), 163
single-stranded plus-sense
RNA, 307

Tobacco necrosis virus
(TNV)
fungal transmission, 102
Tobacco rattle virus
vector transmission, 238
Tobacco stunt virus (TSV),
97
Tobacco vein mottling virus
(TVMV)
expression signals, 313
helper components, 230-33
Tobamoviruses, 308
Tobravirus
vector transmission, 238-39
Tomatine
Botrytis cinerea and,
421-22
Tomato
bacterial wilt
quantitative resistance
and, 490-91
fruit characters
quantitative trait locus
mapping and, 484-86
ghost spot, 415
hypersensitive necrosis, 399
ozone exposure and, 353
preformed inhibitors in
quiescent infection,
421-22
Tomato bushy stunt virus
(TBSV), 306-7
Tomato golden mosaic virus
(TGMV), 305
Tombusviruses, 306-7
modes of transmission,
94-96
Trichispa sericea
rice yellow mottle virus
transmission and, 266
Triticum aestivum L.
dwarf bunt disease, 67-82
True potato seed (TPS), 220
Turnip mosaic potyvirus
(TuMV)
vector transmission, 229

U

Ufra nematode, 215
Uromyces
penetration hyphae, 377
Uromyces appendiculatus
virulence frequencies, 460
Uromyces ari-triphylli, 40
USDA-Federal Grain
Inspection Service, 71
Ustilago maydis
cuticle penetration, 371
Ustilago nuda, 37
Ustilago appendiculatus, 375
appressoria, 377

606 SUBJECT INDEX

Ustilgo viciae-fabae
penetration hyphae, 377-78

V

Valley fever, 459
Vesicular arbuscular
mycorrhizal infection
plant nutrient status and,
330
Vesicular stomatitis virus
(VSV), 240
Vibrio
lactone autoinducers, 163
Virulence
gene-for-gene model, 31
genetic variation and,
36-37
population dynamics and,
41-42
specificity, 30
Viruses
See specific virus; Plant
viruses

W

Warmer Area Wheat
Screening Nursery
(WAWSN), 518
Waterborne viruses
modes of transmission,
94-96
Watercress chlorotic leaf
spot agent (WCLA), 96
Watercress viruses
modes of transmission,
96
Watercress yellow spot virus
(WYSV), 96
Water deficits
root systems and, 335-40
Weinhold AR, 1-12
Wheat
disease-resistant, 503-22
dwarf bunt disease, 67-82
leaf rust resistance genes,
436-38
expression, 438-44

rice black-streaked dwarf
virus and, 250
tropical/low-latitude
regions and, 505-11
Wheat breeding
disease resistance and,
518-22
megaenvironments and,
511-13
methodology, 514-18
objectives, 513-14
Wheat leaf rust, 504
genetic resistance, 435-51
partial, 449
resistance, 519
Wheat production
impact of breeding, 522-23
Wheat stem rust, 14-15
host-pathogen system, 16
White FF, 153-71
Wilcoxon RD, 13-23
Winter wheat
dwarf bunt disease, 67-82
leaf rust resistance genes,
447-48
Witches' broom disease,
579-82
epidemiology, 583-87
host resistance, 580-82
management, 587-90
occurrence and
development, 579-80
Wood rot fungus
microhyphae, 371

X

Xanthomonas campestris pv.
citri
avirulence genes, 159
Xanthomonas campestris pv.
malvacearum
avirulence genes, 158
Xanthomonas campestris pv.
raphani
avirulence genes, 159
Xanthomonas campestris pv.
vesicatoria
avirulence genes, 159

avrBs2 gene
fitness and, 34
Xanthomonas oryzae pv.
oryzae
avirulence genes, 159
Xiphinema index
grapevine fanleaf virus
transmission and, 88
Xylella fastidiosa, 131-45
molecular phylogeny, 137
Xylem-inhabiting bacteria
diseases caused, 132-33
Xylem-limited bacteria
(XLB), 131-45
detection, 136-37
epidemiology, 142-43
genetic engineering for
control, 139
molecular phylogeny, 137
occurrence and movement
in plants, 133-36
strain relationships, 137-39
vector transmission, 139-42
Xylella fastidiosa
detection, 136-37
epidemiology, 142-43
occurrence and movement
in plants, 133-36
strain relationships, 137-39
vector transmission, 139-42

Y

Yeast
glycopeptide
elicitor-binding proteins,
395-96
Yersinia pseudotuberculosis,
165, 168
Young ND, 479-98

Z

Zea mays
rice tungro bacilliform
virus promoter and, 284

